

## KIT p.Asp816Val (D816V) Mutation Status for Mast Cell Disease

---

**TRIAL No:** 242503      **Participant:**      **ISSUED:** 15/01/2025      **CLOSING:** 14/02/2025

---

Please find enclosed 2 vials containing lyophilised cell line derived material for *KIT* p.Asp816Val (D816V) mutation status analysis. Sample ID (approximate total white cell count):

KIT 166 ( $7 \times 10^6$ )

KIT 167 ( $7 \times 10^6$ )

**IMPORTANT: Please note, there is an additional JotForm data entry form page for this trial. Participants are strongly encouraged to complete the supplementary questions as those relating to the routine use of mast cell enrichment influence applicability of the current performance scoring system, see results submission section for further details.**

The molecular haemato-oncology programmes provided by UK NEQAS LI are open to any appropriate DNA/RNA based approaches; UK NEQAS LI does not endorse any particular testing methodology. **Wherever possible, please ensure that you treat the samples as routine specimens, adhering to standard operating procedures and local quality control (QC).** Details of methodologies used should be included in your results submission. Please note that results from all methods are performance monitored collectively, and not by individual methodological approaches, however, results may be considered by method in tables and figures for information only. **Nucleic acid extraction from the External Quality Assessment (EQA) material provided may benefit from minimal adaptations to your current methodology (see guidance below).** There are no specific environmental conditions that need to be considered when testing this EQA material.

### **SAMPLE STABILITY, STORAGE AND PROCESSING**

Whilst the EQA sample(s) provided should ideally be stored at 2-8°C, they are expected to remain stable at typical ambient temperatures for the duration of transit, even for extended transit periods. However, if samples appear to have visibly deteriorated or do not pass local QC, please contact UK NEQAS LI to arrange repeat samples - see below for details.

Lyophilised (freeze dried) material has the advantage of improved stability. However, inherent differences to fresh patient samples means that making slight modifications to your extraction protocol may further improve resultant nucleic acid quality and yield. **Always store lyophilised samples at 2-8°C in their stable lyophilised state until you are ready to proceed with nucleic acid extraction - Do not reconstitute and store.**

Reconstitute the lyophilised sample with 1mL RNase/DNase free water or directly using an appropriate volume of initial buffer, as per your extraction protocol. The sample will reconstitute with gentle pipetting (there is no requirement for vortexing). The sample now forms a suspension of leucocytes and can be processed from an appropriate point in your chosen extraction protocol. **The reconstituted sample(s) must be processed immediately.**

Lyophilised samples do not require a red cell lysis step. Even if they appear red, any red cells originally present in the specimen will have already lysed during the freeze drying process.

It is important to always take account of the cell numbers in the sample(s) stated above. Please note the approximate white cell counts are ascertained prior to lyophilisation, some cell loss is acknowledged during the freeze drying process. **You may need a larger volume of reagent(s) or smaller amount of sample than routinely used for patient samples;** cell line samples are often highly expressing and/or polyploid. If you are applying the sample to a column or cartridge it is important take account of the maximum capacity of the column/cartridge; please read the manufacturer's information carefully.

Reducing the number of cells can be facilitated by diluting the sample (after its initial reconstitution with 1mL RNase/DNase free water) using phosphate buffered saline (1x PBS). Centrifuge the determined volume of the cell suspension at 500-600xg to pellet the leucocytes. Remove the supernatant and proceed with the nucleic acid extraction process as per laboratory protocol, ensuring that the cell pellet is thoroughly homogenised in your chosen buffer.

The DNA/RNA extracted should be subjected to local quality control procedures (e.g. spectrophotometry). If the extracted nucleic acid does not meet local quality control procedures a repeat sample should be requested as soon as possible (see the section below for guidance on requesting a repeat sample). **Please do contact us (see contact details section) if you require any additional support optimising your standard nucleic acid extraction protocol for lyophilised material.**

Materials used in the production of samples for UK NEQAS LI EQA programmes are obtained from a variety of sources. In all cases these materials (patient samples, cell lines, blood products etc) are provided under the conditions that they be used only for the educational purpose of EQA. **Participants must only use the samples provided for the purpose intended.** UK NEQAS LI, Sheffield Teaching Hospitals NHS Foundation Trust and any of its employees will not be responsible for any misuse of samples issued in this programme.

**COSHH (Control of Substances Hazardous to Health):** The cell preparations utilised by this trial are human derived and judged as having a minimal likelihood that pathogens are present. Samples may contain antibiotics (penicillin and streptomycin) and an antimycotic (amphotericin B). No material is knowingly used that is positive for pathogens. However, it should be handled in accordance with local laboratory Health & Safety practices. **Packaging:** UK NEQAS LI sample(s) are sent by first class post or courier accordingly. Packaging is guided by Package Instruction P650. **Disposal/Spillage:** The sample(s) cannot be assumed to be free from infectious agents therefore the material should be assessed as potentially infectious (refer to COSHH). If found to be damaged the packaging and sample(s) should be disposed of in accordance with local Health & Safety and waste management practices. It is advised that any spillage of reconstituted material should be dealt with in line with the local protocol for small volume blood spills. If no specific protocol is available, UK NEQAS LI suggests liberally covering the area with a suitable disinfectant (allowing sufficient contact time for effective action), absorbing the treated spillage with a paper towel before rinsing the area with water and drying thoroughly. See the section below for guidance on requesting a repeat sample.

## **REPEAT SAMPLES**

Requests for repeat samples should be made by email ([repeatsamples@ukneqasli.co.uk](mailto:repeatsamples@ukneqasli.co.uk)). Should this not be possible please telephone our Administration team on the number provided below. **Please make a repeat sample request as soon as possible. If following repeat sample(s) processing, results obtained still do not pass local internal QC please contact UK NEQAS LI.**

## **RESULTS SUBMISSION**

The data entry webpage for this trial can be accessed online at the UK NEQAS LI website via the **Participant Hub** ([www.ukneqasli.co.uk](http://www.ukneqasli.co.uk)). Participants are required to log into this area of the website using their Lab number (also known as PRN, participant reference number), Identity and Password.

**Please only submit results applicable to the scope of this EQA programme.** UK NEQAS LI website hosted results submission pages have been designed to facilitate local independent checking of trial results prior to final submission. Once data has been entered into the relevant fields a participant can choose to click the [Save] button to permit independent checking by a second operative before final submission to UK NEQAS LI. The date and time will appear in the corresponding field to indicate data has been successfully saved. Subsequent editing of the data fields is still possible at this stage. **The [Submit] button must be clicked for data to be locked (preventing further editing) and transferred to UK NEQAS LI.** The date and time will appear in the corresponding field to indicate the trial data has been successfully submitted. Additionally, the date of successful results submission will also appear in the 'completed' column of the relevant programme trial list. Please note, all data **saved** or submitted in the UK NEQAS data entry system will be downloaded and analysed at trial closure.

**This trial also encompasses a request for additional information to inform the applicability of the performance scoring system and the opportunity to submit optional (for educational purposes) quantitative results.** The submission pages for this are hosted externally by the data entry system JotForm where the UK NEQAS LI website functionality outlined above is unfortunately not currently available. Participants are encouraged to carefully read and follow the instructions provided on these individual submission pages. **You will be redirected to the JotForm data entry pages from your UK NEQAS LI online data submission page once you have submitted your trial results.** Alternatively, please use the following URL: <https://form.jotform.com/UKNEQASLI/KIT242503>

Please note, all numerical fields must be completed using only decimal points to separate numbers, and not commas (e.g. enter 6.3 not 6,3). If you experience any problems submitting your trial results please do contact us (see contact details section) for assistance. Participants can make changes to existing laboratory contact details, request a password reminder or add a new contact at any time via the Participant Hub. Alternatively please email ([admin@ukneqasli.co.uk](mailto:admin@ukneqasli.co.uk)) or telephone the number provided below for assistance.

If you wish to return more than one set of results please contact UK NEQAS LI. **Failure to return your results will be recorded as a non-return and for an accredited programme impact upon your performance status.** If you have any queries with regards to online data entry, please do not hesitate to contact us. It is the responsibility of participants to ensure that their results have been received by UK NEQAS LI. Further information can be found in the associated trial issue email and on our website ([www.ukneqasli.co.uk](http://www.ukneqasli.co.uk)).

## **REPORT DISTRIBUTION**

The trial report for this programme will be available online at the UK NEQAS LI website ([www.ukneqasli.co.uk](http://www.ukneqasli.co.uk)). Participants are required to log into the **Participant Hub** (using their web user details) to retrieve PDF report(s). Participants will be notified regarding the availability of an issued report by email. To ensure you receive such emails please check the contact details we hold for your laboratory are accurate and current at re-registration. Participants can make changes to existing laboratory contact details, request a password reminder or add a new contact at any time via the Participant Hub. Alternatively please email ([admin@ukneqasli.co.uk](mailto:admin@ukneqasli.co.uk)) or telephone the number provided below for assistance.

## **CONTACT DETAILS**

UK NEQAS LI, Pegasus House, 4th Floor, 463A Glossop Road, Sheffield, S10 2QD, UK.

Tel: +44 (0) 114 267 3600, e-mail: [admin@ukneqasli.co.uk](mailto:admin@ukneqasli.co.uk)

**Please state PRN (participant reference number) on all correspondence.**